



Standard Accessories

- Instrument
- Draft ring
- Pan
- Pan support
- Dust guard
- Adaptor
- User manual

HPB SERIES - 1 mg

High Precision Balance

HPB201, HPB501, & HPB1001



Electro Magnetic Force Compensation



Density Determination



Underhook Weighing



RS232C Interface



External Calibration



Counting Weighing mode



LCD display



Percentage Weighing



Multiple Weighing Units



TARE



High Precision Balance

HSN Code - 9016

MODEL	HPB201	HPB501	HPB1001
Capacity	220 g	520 g	1020 g
Calibration	External		Internal
Pan Size	80 mm Ø		120 mm Ø
Make	WENSAR		
Readability	0.001 g (1mg)		
Repeatability (±)	0.001 g		
Linearity (±)	± 0.002 g		
Min.(Capacity)	0.1 g		
Display	LCD		
Response Time	4- 5 Sec		
Tare Range	Full		
Operating Temperature	15°C to 30°C		
Density	Yes		
Unit	g,ct, ozt, oz, GN, dwt, lb		
Key Sound	Yes		
Weighing Chamber Height	195 mm		
Baudrate	1200, 2400, 4800, 9600		
Class	I		
Interface	RS232C		
Data Output Mode	Command and continuous Output		
Power Supply	AC 220V / 50-60 Hz		
Dimension (LxWxH) mm	220 x 360 x 345 mm		
Weight	10 kg		

SPECIFICATIONS

★ Specifications are subject to change without notice.

Density Determination Kit for solid & liquid sample (Optional) - Manual Calculation